


## Tyran G. Mincey D.C



27 Downing Street  
NY NY 10014


295 Bloomfield Ave.  
Montclair NJ 07024  
(973) 744-1155

# Welcome to your first visit.

1. Please fill out the office forms enclosed.
2. Dr. Mincey or another authorized person will review your history.
3. You will be examined by Dr. Mincey.
4. Any necessary tests will be ordered or performed.
5. After examination and testing the visit will end and another visit will be scheduled.
6. This process may take anywhere from as long 40 minutes to one hour.
7. During your second visit Dr. Mincey will review all of the findings from testing and examination. At this time we will determine whether we will accept your case. If so then treatment options will be presented to you, as well as the estimated cost and time frame of treatment. You will be given an opportunity to get all of your questions answered at this time.
8. Extended treatment will not be given on the first visit. Emergency treatment may be given for an additional fee.

## Expectations

We understand that you have the expectation to get well and that is the goal of this care. As with all types of health care and medical care there are no guarantees made in any way shape or form except that we will do everything possible to help your body heal itself and when we have done all we can we will let you know and advise you of other options. Our success rate of helping people in this office is about 90-95%. With regard to how long it will take to heal, in some cases healing seems almost instant while in others it is more gradual. There are many variables that impact healing time these include your compliance with Dr.'s recommendations, overall lifestyle, diet and other factors that may be unique to you. **(Please remove all jewelry and turn off cell phones before entering examination room.)**



## Integrated Health Care

Tyran G. Mincey D.C.  
295 Bloomfield Avenue Ste. #5  
Montclair NJ 07042  
(973)744-1155

27 Downing Street  
NY NY 10014  
(212) 463-7315

## Financial Policies

### Accounts Receivable Policy Letter

We first want to thank you for choosing Integrated HealthCare LLC as your healthcare provider. We consider it a privilege to serve you.

With service in mind, effective **09/30/2005**, we are advising new patients, and updating existing patients, to our new payment and billing policies to avoid possible misunderstandings or difficulties at a later date.

By far the majority of our patients regularly pay their accounts within a reasonable amount of time. In order to insure the level of service you require and deserve, without added cost, we have integrated a new program to hold down our operating expenses. Our new payment policy and program ensures that **your account** will not be penalized to cover costs incurred by us from those who do not pay in a timely manner. The accounts receivable policy that we follow states that:

1. **Insurance.** If you *are not* insured by a plan with which we are participating, payment in full is expected at each visit. If you are insured by a plan with which we are participating, but don't have an up-to-date insurance card, payment in full for each visit is required until we can verify your coverage. Knowing your insurance benefits is your responsibility. Please contact your insurance company with any questions you may have regarding your coverage.
2. **Co-payments and deductibles.** All co-payments and deductibles must be paid at the time of service. This arrangement is part of your contract with your insurance company. Failure on our part to collect co-payments and deductibles from patients can be considered fraud. Please help us in upholding the law by paying your co-payment at each visit. **Account balances over 30 (thirty) days are subject to interest charges of 1 ½% per month (18% per year). Unpaid accounts reaching 60 days will be automatically referred to The Essex County court system for the purposes of collecting on your account. An additional fee of \$10.00 will be added to your accounts and is due in addition to any balance and interest charges owed.**
3. **Non-covered services.** Please be aware that some, and perhaps all, of the services you receive may be non-covered or not considered reasonable or medically necessary by your insurance company. If you still opt to receive these services, you must pay for them in full at the time of your visit unless other arrangements have been made *prior* to receiving them.
4. **Proof of insurance.** All patients must complete our patient information form before seeing the doctor. We must obtain a copy of your driver's license and current valid insurance to provide proof of insurance.

We thank you in advance for your understanding, support and agreement in this matter.

---

If you have any questions regarding this policy, or would like to discuss your account at any time, please feel free to contact Jennifer or Dr. Mincey at 973-744-1155 to arrange a confidential review of your personal account.

Sincerely,

Tyran G. Mincey D.C.  
**Chiropractic Physician**

## **First visit: Initial Exam cost \$215.00**

The visit duration is dependent on your presentation.

### **Description**

#### **1. Taking of a detailed history**

2. A Comprehensive physical examination (blood pressure etc), complaint oriented examination. Chiropractic examination of spine, muscles and nervous system and entire body.
3. Applied kinesiology examination which includes meridian examination,
4. Minor diagnostic testing such as Spirometry, Ph of saliva, Zinc deficiency, Homocysteine screening, nerve balance screening, aerobic deficiency screening, electrolyte imbalances, emotional screening, Body fat testing. Other examinations may be needed depending on individual need.
5. Any other Lab tests and X-rays will be extra if needed.

## **Second visit Cost \$75.00**

Description: Review of findings: presentation of case, with a treatment plan, outline of the time, expectations, and whether or not we will accept your case, referrals are made if need be.

## **Third visit and thereafter Cost \$75.00-\$150.00**

Description: Our goal each and every visit is to balance the nervous system. We do this using a variety of therapies and do not charge cash payers by therapy type. This may include recommendations for supplementation, lifestyle changes, exercises, total hands on muscle, and joint adjusting, accupressure, reflexology, use of essential oils etc. These visits can last 5 minutes or up to 20 mins. and are based on expert interventions which can be variable in time length based on each individual. Extended visits are available; ask Dr. Mincey.

### **Emergency, off hour, and weekend Visits**

In order to accommodate these types of visits that doctor has to incur additional expenses to care for you. Therefore the fee for emergency, off hour, lunch, and weekend visits is \$100+ the normal fee.

## **Telephone, virtual , and web visits: Cost \$50.00 per 15 minute interval.**

Telephone visits are available and are very useful for travelers. The cost is \$50.00 per each 15 minutes. A 15 minute miss appointment fee applies.

For patients who have insurance everything above applies except that the insurers may not pay for certain therapies and we must bill what is reasonable and customary by therapy. So you will be required to pay a portion of the care that your insurer will not underwrite. Dr. Mincey will advise you as such prior to beginning any treatment. A portion of the initial examination may not be paid for.

I \_\_\_\_\_ have read and understand and agree to abide by the terms as outlined and applying to the office of Integrated Health care, LLC. I understand that if my insurer will not cover costs of services that I am responsible and agree to pay them.

**Signature:** \_\_\_\_\_

**Date:** \_\_\_\_\_

Print name \_\_\_\_\_ Date \_\_\_\_\_

Name \_\_\_\_\_ Phone number \_\_\_\_\_ Work number \_\_\_\_\_

Address (include city, state and zip)  
\_\_\_\_\_

Date of birth \_\_\_\_\_ Age \_\_\_\_\_ M \_\_\_\_\_ F \_\_\_\_\_ Marital status \_\_\_\_\_ No. of children \_\_\_\_\_

Occupation \_\_\_\_\_ Referred by \_\_\_\_\_

Soc. Sec# \_\_\_\_\_ - \_\_\_\_ - \_\_\_\_ email address \_\_\_\_\_ @ \_\_\_\_\_ . \_\_\_\_\_

Please check the appropriate space for any of the following symptoms that you now have or have had previously. This is a confidential health questionnaire.

**O = Occasional F = Frequent C = Constant**

**O F C General**

- Allergy
- Chills
- Convulsions
- Dizziness
- Fainting
- Fatigue
- Fever
- Headaches
- Insomnia
- Excess weight loss
- Excess weight gain
- Nervousness
- Depression
- Sweats
- Tremors

**Muscle and joint**

- Arthritis
- Foot trouble
- Hernia
- Low back pain
- Neck pain
- Poor posture
- Sciatica
- Pain/Numbness in:
  - Shoulders
  - Arms
  - Elbows
  - Wrists/Hand
  - Hips
  - Legs
  - Knees
  - Feet

**O F C Gastrointestinal**

- Belching or gas
- Colitis
- Constipation
- Diarrhea
- Indigestion
- Distention
- Excess hunger
- Gallbladder problems
- Hemorrhoids
- Liver problems
- Nausea
- Stomach pain
- Poor appetite
- Vomiting

**EENT**

- Asthma
- Colds/Flu
- Crossed eyes
- Deafness
- Dental decay
- Ear problems
- Enlarged glands
- Eye pain
- Near-sightedness
- Far-sightedness
- Gum problems
- Hay fever
- Hoarseness
- Nasal obstruction
- Nosebleeds
- Sinus problems
- Sore throats

**O F C Cardiorespiratory**

- Blood pressure:
  - High
  - Low
  - High cholesterol
- Chest pain
- Poor circulation
- Rapid pulse
- Slow pulse
- Ankle swelling
- Chronic cough
- Difficulty breathing
- Wheezing

**Spitting up:**

- Blood
- Phlegm

**Skin**

- Boils
- Bruise easily
- Dryness
- Hives or rash
- Itching
- Varicose veins

**Genitourinary**

- Bed-wetting
- Blood in urine
- Frequent urination
- Painful urination
- Pus in urine
- Kidney stones
- Prostate problems

For women only:

Date of last period (day 1): \_\_\_\_\_

Birth control: \_\_\_\_\_

Menstrual problems

Hot flashes

Irregular cycle

Menopausal symptoms

---

---

What is your major complaint? \_\_\_\_\_

How long have you had this condition? \_\_\_\_\_

Have you had this or similar conditions in the past? \_\_\_\_\_

Is this problem getting worse? \_\_\_\_\_ Constant? \_\_\_\_\_ Worse in morning? \_\_\_\_\_ Evening? \_\_\_\_\_

Is this interfering with work? \_\_\_\_\_ Sleep? \_\_\_\_\_ Exercise? \_\_\_\_\_ Other? \_\_\_\_\_

What do you believe is wrong with you? \_\_\_\_\_

List other problems you have now \_\_\_\_\_

List past operations and dates \_\_\_\_\_

Have you ever been hospitalized other than for surgery? \_\_\_\_\_

Have you ever had any mental or emotional disorder? \_\_\_\_\_

Have you had any other injury in the past two years? \_\_\_\_\_

Are you taking medication? \_\_\_\_\_ Describe \_\_\_\_\_

Are you taking nutritional supplements? \_\_\_\_\_ Describe \_\_\_\_\_

Are you allergic to any foods, drugs, etc? \_\_\_\_\_

Do you have any dental problems? \_\_\_\_\_ Dr.: \_\_\_\_\_

Do you wear arch supports? \_\_\_\_\_ Heel lifts? \_\_\_\_\_ Special shoes? \_\_\_\_\_ What is your shoe size? \_\_\_\_\_

Date of your last physical exam? \_\_\_\_\_ Dr.: \_\_\_\_\_

Habits (describe with amounts):

Alcohol \_\_\_\_\_ Coffee \_\_\_\_\_

Cigarettes \_\_\_\_\_ Drugs not listed above \_\_\_\_\_

Describe your present exercise habits (or attach additional page): \_\_\_\_\_

Please list the main health problems in your family:

| Name: | Relation: | Problem: |
|-------|-----------|----------|
| _____ | _____     | _____    |
| _____ | _____     | _____    |

In case of emergency, please list the name and number of a friend or relative NOT living with you:

Your signature: \_\_\_\_\_ Date: \_\_\_\_\_

**Patient** \_\_\_\_\_ **Doctor** \_\_\_\_\_ **Date** \_\_\_\_\_

Instructions: Number the boxes that apply to you. Use (1) for MILD symptoms (occurring once or twice a year), (2) for MODERATE symptoms (occurring several times a year), and (3) for SEVERE symptoms (you are aware of the symptom almost constantly).

|   |                    |   |
|---|--------------------|---|
| 1. <input type="checkbox"/> Acid foods upset<br>2. <input type="checkbox"/> Get chilled often<br>3. <input type="checkbox"/> "Lump" in throat<br>4. <input type="checkbox"/> Dry mouth/eyes/nose<br>5. <input type="checkbox"/> Pulse speeds after meal<br>6. <input type="checkbox"/> Keyed up—fail to calm<br>7. <input type="checkbox"/> Cuts heal slowly  | <b>GROUP ONE</b>   | 14. <input type="checkbox"/> "Nervous" stomach<br>15. <input type="checkbox"/> Appetite reduced<br>16. <input type="checkbox"/> Cold sweat often<br>17. <input type="checkbox"/> Fever easily raised<br>18. <input type="checkbox"/> Neuralgia-like pains<br>19. <input type="checkbox"/> Staring, blink little<br>20. <input type="checkbox"/> Sour stomach frequently   |
| 21. <input type="checkbox"/> Joint stiffness after arising<br>22. <input type="checkbox"/> Muscle/leg/ toe cramps at night<br>23. <input type="checkbox"/> "Butterfly" stomach, cramps<br>24. <input type="checkbox"/> Eyes or nose watery<br>25. <input type="checkbox"/> Eyes blink often<br>26. <input type="checkbox"/> Eyelids swollen, puffy<br>27. <input type="checkbox"/> Indigestion soon after meal  | <b>GROUP TWO</b>   | 35. <input type="checkbox"/> Difficulty swallowing<br>36. <input type="checkbox"/> Constipation, diarrhea alternating<br>37. <input type="checkbox"/> "Slow Starter"<br>38. <input type="checkbox"/> Get "Chilled frequently<br>39. <input type="checkbox"/> Perspire easily<br>40. <input type="checkbox"/> Circulation poor, sensitive in cold<br>41. <input type="checkbox"/> Subject to colds, asthma, bronchitis |
| 42. <input type="checkbox"/> Eat when nervous<br>43. <input type="checkbox"/> Excessive appetite<br>44. <input type="checkbox"/> Hungry between meals<br>45. <input type="checkbox"/> Irritable before meals<br>46. <input type="checkbox"/> Get "Shaky" if hungry<br>47. <input type="checkbox"/> Fatigue, eating relieves<br>48. <input type="checkbox"/> "Lightheaded" if meals delayed  | <b>GROUP THREE</b> | 53. <input type="checkbox"/> Crave candy or coffee in afternoon<br>54. <input type="checkbox"/> Moods of depression—"blues" or melancholy<br>55. <input type="checkbox"/> Abnormal craving for sweets or snacks   |
| 56. <input type="checkbox"/> Hands and feet go to sleep easily, numbness<br>57. <input type="checkbox"/> Sigh frequently, "air hunger"<br>58. <input type="checkbox"/> Aware of "breathing heavily"<br>59. <input type="checkbox"/> High-altitude discomfort<br>60. <input type="checkbox"/> Open windows in closed room<br>61. <input type="checkbox"/> Susceptible to colds and fevers<br>62. <input type="checkbox"/> afternoon "yawner"   | <b>GROUP FOUR</b>  | 68. <input type="checkbox"/> Bruise easily, "black and blue" spots<br>69. <input type="checkbox"/> Tendency to anemia<br>70. <input type="checkbox"/> "Nosebleeds" frequently<br>71. <input type="checkbox"/> Noises in head, or "ringing in ears"<br>72. <input type="checkbox"/> Tension under the breastbone, or feeling of "tightness," worse on exertion   |
| 73. <input type="checkbox"/> Dizziness<br>74. <input type="checkbox"/> Dry skin<br>75. <input type="checkbox"/> Burning feet<br>76. <input type="checkbox"/> Blurred vision<br>77. <input type="checkbox"/> Itching skin and feet<br>78. <input type="checkbox"/> Excessive falling hair<br>79. <input type="checkbox"/> Frequent skin rashes<br>80. <input type="checkbox"/> Bitter, metallic taste in mouth in mornings<br>81. <input type="checkbox"/> Bowel movements painful or difficult<br>80. <input type="checkbox"/> Worrier, feel insecure | <b>GROUP FIVE</b>  | 89. <input type="checkbox"/> Sneezing attacks<br>90. <input type="checkbox"/> Dreaming, nightmare-type bad dreams<br>91. <input type="checkbox"/> Bad breath (halitosis)<br>92. <input type="checkbox"/> Milk products cause distress<br>93. <input type="checkbox"/> Sensitive to hot weather<br>94. <input type="checkbox"/> Burning or itching anus<br>95. <input type="checkbox"/> Crave sweets                   |

|  |   |   |
|--|---|---|
| <p>96. <input type="checkbox"/> Loss of taste for meat<br/> 97. <input type="checkbox"/> Lower bowel gas several hours after eating<br/> 98. <input type="checkbox"/> Burning stomach sensations, eating relieves</p>  | <h3>GROUP SIX</h3> <p>99. <input type="checkbox"/> Coated tongue<br/> 100. <input type="checkbox"/> Pass large amounts of foul-smelling gas<br/> 101. <input type="checkbox"/> Indigestion ½-1 hour after eating; may be up to 3-4 hours</p>  | <p>102. <input type="checkbox"/> Mucous colitis or “irritable bowel<br/> 103. <input type="checkbox"/> Gas shortly after eating<br/> 104. <input type="checkbox"/> Stomach “bloating” after eating</p>  |
| <p style="text-align: center;">(A)</p> <p>105. <input type="checkbox"/> Insomnia<br/> 106. <input type="checkbox"/> Nervousness<br/> 107. <input type="checkbox"/> Can’t gain weight<br/> 108. <input type="checkbox"/> Intolerance to heat<br/> 109. <input type="checkbox"/> Highly emotional<br/> 110. <input type="checkbox"/> Flush easily<br/> 111. <input type="checkbox"/> Night sweats<br/> 112. <input type="checkbox"/> Thin, moist skin<br/> 113. <input type="checkbox"/> Inward trembling<br/> 114. <input type="checkbox"/> Heart palpitates<br/> 115. <input type="checkbox"/> Increased appetite without weight gain<br/> 116. <input type="checkbox"/> Pulse fast at rest<br/> 117. <input type="checkbox"/> Eyelids and face twitch<br/> 118. <input type="checkbox"/> Irritable and restless<br/> 119. <input type="checkbox"/> Can’t work under pressure</p> <p style="text-align: center;">(B)</p> <p>120. <input type="checkbox"/> Increase in weight<br/> 121. <input type="checkbox"/> Decrease in appetite<br/> 122. <input type="checkbox"/> Fatigue easily<br/> 123. <input type="checkbox"/> Ringing in ears<br/> 124. <input type="checkbox"/> Sleepy during day<br/> 125. <input type="checkbox"/> Sensitive to cold<br/> 126. <input type="checkbox"/> Dry or scaly skin<br/> 127. <input type="checkbox"/> Constipation<br/> 128. <input type="checkbox"/> Mental sluggishness<br/> 129. <input type="checkbox"/> Hair coarse, falls out<br/> 130. <input type="checkbox"/> Headaches upon arising, wear off during day<br/> 131. <input type="checkbox"/> Slow pulse, below 65<br/> 132. <input type="checkbox"/> Frequency of urination<br/> 133. <input type="checkbox"/> Impaired hearing<br/> 134. <input type="checkbox"/> Reduced initiative</p> | <h3>GROUP SEVEN</h3> <p style="text-align: center;">(C)</p> <p>135. <input type="checkbox"/> Failing memory<br/> 136. <input type="checkbox"/> Low blood pressure<br/> 137. <input type="checkbox"/> Increased sex drive<br/> 138. <input type="checkbox"/> Headaches, “splitting or rending” type<br/> 139. <input type="checkbox"/> Decreased sugar tolerance</p> <p style="text-align: center;">(D)</p> <p>140. <input type="checkbox"/> Abnormal thirst<br/> 141. <input type="checkbox"/> Bloating of abdomen<br/> 142. <input type="checkbox"/> Weight gain around hips or waist<br/> 143. <input type="checkbox"/> Sex drive reduced or lacking<br/> 144. <input type="checkbox"/> Tendency to ulcers, colitis<br/> 145. <input type="checkbox"/> Increased sugar tolerance<br/> 146. <input type="checkbox"/> Women: menstrual disorders<br/> 147. <input type="checkbox"/> Young girls: lack of menstrual function</p> <p style="text-align: center;">(E)</p> <p>148. <input type="checkbox"/> Dizziness<br/> 149. <input type="checkbox"/> Headaches<br/> 150. <input type="checkbox"/> Hot flashes<br/> 151. <input type="checkbox"/> Increased blood pressure<br/> 152. <input type="checkbox"/> Hair growth on face or body (female)<br/> 153. <input type="checkbox"/> Sugar in urine (not diabetes)<br/> 154. <input type="checkbox"/> Masculine tendencies on</p> | <p style="text-align: center;">(F)</p> <p>155. <input type="checkbox"/> Weakness, dizziness<br/> 156. <input type="checkbox"/> Chronic fatigue<br/> 157. <input type="checkbox"/> blood pressure<br/> 158. <input type="checkbox"/> Nails weak, ridged<br/> 159. <input type="checkbox"/> Tendency to hives<br/> 160. <input type="checkbox"/> Arthritic tendencies<br/> 161. <input type="checkbox"/> Perspiration increase<br/> 162. <input type="checkbox"/> Bowel disorders<br/> 163. <input type="checkbox"/> Poor circulation<br/> 164. <input type="checkbox"/> Swollen ankles<br/> 165. <input type="checkbox"/> Crave salt<br/> 166. <input type="checkbox"/> Brown spots or bronzing on skin<br/> 167. <input type="checkbox"/> Allergies—tendency to asthma<br/> 168. <input type="checkbox"/> Weakness after colds, influenza<br/> 169. <input type="checkbox"/> Exhaustion—Muscular and nervous<br/> 170. <input type="checkbox"/> respiratory</p> |
| <p>171. <input type="checkbox"/> Easily fatigued<br/> 172. <input type="checkbox"/> Premenstrual stress<br/> 173. <input type="checkbox"/> Painful menses<br/> 174. <input type="checkbox"/> Depressed feelings before menstruation<br/> 175. <input type="checkbox"/> Menstruation excessive</p>  | <h3>GROUP EIGHT A:<br/>Female Only</h3> <p>176. <input type="checkbox"/> Painful breast<br/> 177. <input type="checkbox"/> Menstruate too frequently<br/> 178. <input type="checkbox"/> Vaginal discharge<br/> 179. <input type="checkbox"/> Hysterectomy/ovaries removed</p>   | <p>180. <input type="checkbox"/> Hot flashes<br/> 181. <input type="checkbox"/> Menses scanty or missed<br/> 182. <input type="checkbox"/> Acne, worse at menses<br/> 183. <input type="checkbox"/> Depression long-standing</p>  |
| <p>184. <input type="checkbox"/> Prostate trouble<br/> 185. <input type="checkbox"/> Urination difficult or dribbling<br/> 186. <input type="checkbox"/> Night urination frequent<br/> 187. <input type="checkbox"/> Depression</p>  | <h3>Group Eight B:<br/>Male Only</h3> <p>188. <input type="checkbox"/> Pain on inside of legs or heel<br/> 189. <input type="checkbox"/> Feeling of incomplete bowel evacuation<br/> 190. <input type="checkbox"/> Lack of energy</p>   | <p>191. <input type="checkbox"/> Migrating aches and pains<br/> 192. <input type="checkbox"/> Tire too easily<br/> 193. <input type="checkbox"/> Avoid activity<br/> 194. <input type="checkbox"/> Leg nervousness at night<br/> 195. <input type="checkbox"/> Diminished sex drive</p>   |
| <p>196. <input type="checkbox"/> Sleep after meals<br/> 197. <input type="checkbox"/> Bloating after meals<br/> 198. <input type="checkbox"/> Poor concentration after meals</p>   | <h3>GROUP NINE</h3> <p>199. <input type="checkbox"/> Diabetes in family<br/> 200. <input type="checkbox"/> High blood pressure, cholesterol, or triglycerides<br/> 201. <input type="checkbox"/> Always hungry</p>  | <p>202. <input type="checkbox"/> Fingers swollen or tight after exercise<br/> 203. <input type="checkbox"/> Heart disease, stroke, breast cancer in family</p>  |



|   |                            |  |
|---|----------------------------|--|
| <p>204. <input type="checkbox"/> Asprin improves symptoms<br/> 205. <input type="checkbox"/> Menstrual cramps<br/> 206. <input type="checkbox"/> Chronic inflammation</p> | <p><b>GROUP TEN</b></p>    | <p>207. <input type="checkbox"/> Dry itchy skin or scalp<br/> 208. <input type="checkbox"/> React badly to sweets or excess carbohydrates</p> <p>209. <input type="checkbox"/> Eat restaurant or fast food often<br/> 210. <input type="checkbox"/> Spring allergies</p>                       |
| <p>211. <input type="checkbox"/> Low blood pressure<br/> 212. <input type="checkbox"/> Poor circulation<br/> 213. <input type="checkbox"/> Slow metabolism</p>            | <p><b>GROUP ELEVEN</b></p> | <p>214. <input type="checkbox"/> Intolerant to noise<br/> 215. <input type="checkbox"/> Slow or irregular heartbeat</p> <p>216. <input type="checkbox"/> Headaches with feeling or tight band around head<br/> 217. <input type="checkbox"/> Carbohydrate intolerance</p>                      |
| <p>218. <input type="checkbox"/> Tense, irritable, and high-strung<br/> 219. <input type="checkbox"/> High blood pressure</p>   | <p><b>GROUP TWELVE</b></p> | <p>220. <input type="checkbox"/> Poor fat metabolism<br/> 221. <input type="checkbox"/> Restless, jumpy, and shaky legs</p> <p>222. <input type="checkbox"/> Overreact to caffeine<br/> 223. <input type="checkbox"/> Tendency to spasm<br/> 224. <input type="checkbox"/> Rapid heartbeat</p> |

---

---

Important: Please list below the five main complaints you have in order of their importance.

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_

(Please do not write below this line.)

Doctor's notes:

Name \_\_\_\_\_ Case No. \_\_\_\_\_ Age \_\_\_\_\_ Sex \_\_\_\_\_

1. Are you taking medication? ..... Yes \_\_\_\_\_ No \_\_\_\_\_  
If yes, list the kind and dosage and whether it is taken on a regular basis. \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
Do you feel the medication is helping you? \_\_\_\_\_
2. Are you taking nutritional supplements? ..... Yes \_\_\_\_\_ No \_\_\_\_\_  
If yes, list the kind and dosage and whether they are taken on a regular basis. \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
Do you feel the nutritional supplements are helping you? For example, do you notice a specific improvement in the way you feel? \_\_\_\_\_
3. Approximately how many regular-size drinking glasses of water do you drink per day? \_\_\_\_\_  
Is the water usually regular tap water, or special water such as distilled or well water?  
\_\_\_\_\_
4. If you are a smoke, what do you smoke (cigarettes, pipe, etc.) and how many daily?  
\_\_\_\_\_
5. How often do you consume alcohol?  
Never \_\_\_\_\_ Once in a while \_\_\_\_\_ Often \_\_\_\_\_ Daily \_\_\_\_\_
6. How many cups of regular coffee (caffeinated) do you drink daily? \_\_\_\_\_
7. How many cups of decaffeinated coffee do you drink per day? \_\_\_\_\_
8. How many cups to tea or glasses of iced tea do you drink per day? \_\_\_\_\_
9. Approximately what percentage of your food is of the “convenience” variety? (Example: Hamburger Helpers, TV dinners, frozen pot pies, etc.) \_\_\_\_\_
10. When you eat out, do you prefer the “quick food” approach, such as McDonald’s, Burger King, etc.  
\_\_\_\_\_
11. Do you use extra salt on your food at the table?.....Yes \_\_\_\_\_ No \_\_\_\_\_
12. Do you eat a lot of condiments such as catsup and other spicy foods?.....Yes \_\_\_\_\_ No \_\_\_\_\_
13. Do you like sour foods such as lemon (unsweetened ), dill pickles, and other pickled foods?.....  
.....Yes \_\_\_\_\_ No \_\_\_\_\_
14. Do you avoid or cut fat from your meat? .....Yes \_\_\_\_\_ No \_\_\_\_\_
15. Do you use (butter)(margarine).....Yes \_\_\_\_\_ No \_\_\_\_\_
16. Do you like oil-type dressings on your salad?.....Yes \_\_\_\_\_ No \_\_\_\_\_
17. Do you enjoy eating cheese? .....Yes \_\_\_\_\_ No \_\_\_\_\_
18. Do you drink milk?.....Yes \_\_\_\_\_ No \_\_\_\_\_  
How much per day? \_\_\_\_\_ is it pasteurized?.....Yes \_\_\_\_\_ No \_\_\_\_\_
19. Do you like foods that have a high sugar content, such as pastries, donuts, etc?Yes \_\_\_\_\_ No \_\_\_\_\_
20. When you eat a donut, do you prefer to have it plain, with frosting, or filled? \_\_\_\_\_
21. Do you eat sugar-coated cereal?.....Yes \_\_\_\_\_ No \_\_\_\_\_  
When you eat cereal, how many teaspoons of sugar do you use on an average-size serving? \_\_\_\_\_
22. How many teaspoons of sugar do you use in coffee or tea? \_\_\_\_\_
23. How many soft drinks do you consume daily? \_\_\_\_\_

(Continued)

24. Do you try, as often as possible, to drink sugar-free soft drinks and use artificial sweeteners with coffee and food?.....Yes \_\_\_\_\_ No \_\_\_\_\_
25. What kind of fruit do you prefer to eat?.....Fresh \_\_\_\_\_ Canned \_\_\_\_\_ Sugar-free \_\_\_\_\_
26. Do you often feel hungry, no matter how much you eat? .....Yes \_\_\_\_\_ No \_\_\_\_\_
27. When you eat bread, is it white or whole wheat? \_\_\_\_\_
28. Do you usually eat breakfast?.....Yes \_\_\_\_\_ No \_\_\_\_\_
29. Do you usually feel better after eating? .....Yes \_\_\_\_\_ No \_\_\_\_\_
30. Do you usually feel worse after eating? .....Yes \_\_\_\_\_ No \_\_\_\_\_
31. Do you snack a lot between the three major meals? .....Yes \_\_\_\_\_ No \_\_\_\_\_
32. When you have a snack, what type of food do you prefer? For example, sweet roll, cookies, cheese, cracker, fruit, vegetables. \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_
33. Do you frequently skip meals?.....Yes \_\_\_\_\_ No \_\_\_\_\_
34. Do you have to watch what you eat to avoid gaining weight?.....Yes \_\_\_\_\_ No \_\_\_\_\_
35. Do you have more than one meal per day that lacks a vegetable other than corn, potatoes, peas, or green beans? .....Yes \_\_\_\_\_ No \_\_\_\_\_
36. Are there days when you do not eat any raw vegetables?.....Yes \_\_\_\_\_ No \_\_\_\_\_
37. Do any foods create problems? If so, describe the problem.  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_
38. What foods do you especially like? \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_
39. What foods do you dislike? \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_
40. Do you feel your diet is excessive in some respect? .....Yes \_\_\_\_\_ No \_\_\_\_\_  
 If yes, describe. \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_
41. Do you feel your diet is deficient in some respect?.....Yes \_\_\_\_\_ No \_\_\_\_\_  
 If yes, describe. \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Notes

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Reprinted, by permission, from D. Walther, 1988, *Nutrition questionnaire* (Pueblo, CO: Systems DC).

## Visual Analog Scale of Spinal Pain

Name \_\_\_\_\_ Date \_\_\_\_/\_\_\_\_/\_\_\_\_

Please mark on the 1 to 10 scale your involvement with pain to the following locations and situations, from no involvement (0) to maximum involvement (10). Mark with a vertical line like this:

1. Do you have any pain in your neck ? How severe is it ?

0 .....|.....|.....|.....|.....|.....|.....|.....|.....|..... 10

No pain

Intolerable

2. Do you have any pain between your shoulder blades ? How severe is it?

0 .....|.....|.....|.....|.....|.....|.....|.....|.....|..... 10

No pain

Intolerable

3. Do you have any pain in your low back? How severe is it?

0 .....|.....|.....|.....|.....|.....|.....|.....|.....|..... 10

No pain

Intolerable

4. Do you have any pain at night? How severe is it?

0 .....|.....|.....|.....|.....|.....|.....|.....|.....|..... 10

No pain

Intolerable

5. Does activity give you pain? Yes \_\_\_\_\_ No \_\_\_\_\_ If so, how much activity is required to cause you pain?

0 .....|.....|.....|.....|.....|.....|.....|.....|.....|..... 10

A great deal of activity

Almost no activity

6. Do you use pain killers? Yes \_\_\_\_\_ No \_\_\_\_\_ If so how much relief?

0 .....|.....|.....|.....|.....|.....|.....|.....|.....|..... 10

Complete relief

No relief

7. Do you have any stiffness in your neck and/or back?

0 .....|.....|.....|.....|.....|.....|.....|.....|.....|..... 10

No stiffness

Intolerable stiffness

8. Do you have any pain in your shoulder and/or arm? (mark for right and left.)

Right 0 .....|.....|.....|.....|.....|.....|.....|.....|.....|..... 10

Left 0 .....|.....|.....|.....|.....|.....|.....|.....|.....|..... 10

None at all

Intolerable

9. Does your pain interfere with the use of your arm and/or hand? (mark for right and left.)

Right 0 .....|.....|.....|.....|.....|.....|.....|.....|.....|..... 10

Left 0 .....|.....|.....|.....|.....|.....|.....|.....|.....|..... 10

None at all

Not able to use at all

10. Do you have numbness or tingling in your arm and/or hand? (mark for right and left.)

0 .....|.....|.....|.....|.....|.....|.....|.....|.....|..... 10

None at all

Intolerable

11. Do you have headaches? If so, how severe are they?

0 .....|.....|.....|.....|.....|.....|.....|.....|.....|..... 10

- None at all Intolerable
12. How frequent are your headaches if you have them?  
 0.....|.....|.....|.....|.....|.....|.....|.....|.....|..... 10  
 Infrequent All the time
13. Does your back pain interfere with your freedom to walk?  
 0.....|.....|.....|.....|.....|.....|.....|.....|.....|..... 10  
 Complete freedom to walk Completely unable to walk because of pain
14. Does your pain interfere with your ability to stand still?  
 0.....|.....|.....|.....|.....|.....|.....|.....|.....|..... 10  
 Can stand still for an hour Not able to stand still at all  
 at at all  
 or more
15. Does your pain interfere with you sitting in a chair?  
 0.....|.....|.....|.....|.....|.....|.....|.....|.....|..... 10  
 Complete comfort Such discomfort that I cannot sit in a chair at all
16. Is your pain worse when riding in a car?  
 0.....|.....|.....|.....|.....|.....|.....|.....|.....|..... 10  
 Complete freedom to ride Such discomfort that I cannot ride in a car at all  
 in a car
17. Do you have pain when lying down in bed?  
 0.....|.....|.....|.....|.....|.....|.....|.....|.....|..... 10  
 Complete comfort No comfort at all
18. What is you overall handicap in you complete life style because of pain?  
 0.....|.....|.....|.....|.....|.....|.....|.....|.....|..... 10  
 Completely free to perform any task Totally handicapped
19. To what extent does you pain interfere with your work?  
 0.....|.....|.....|.....|.....|.....|.....|.....|.....|..... 10  
 No interference at all Totally incapable of work
20. To what extent does your work have to be modified so that you are able to do your job?  
 0.....|.....|.....|.....|.....|.....|.....|.....|.....|..... 10  
 No adjustment to work So much adjustment that I have had to change jobs

Name: \_\_\_\_\_ Date \_\_\_\_\_

Stress Questionnaire

This questionnaire designed to better understand some of the stresses and challenges you face so we may better assist you. Please answer base on how behave on average. **Number the boxes that apply to you.** Use "1" for occurring once or twice a year), "2" for frequently, and "3" for almost constantly.

|  |   |
|--|---|
| A  | L   |
| <input type="checkbox"/> I hide the feelings behind a facade of cheerfulness.<br><input type="checkbox"/> I dislike arguments and often given to avoid conflict<br><input type="checkbox"/> I turn to food, alcohol, drugs, etc when down. | <input type="checkbox"/> I become discouraged wit small setbacks.<br><input type="checkbox"/> I am easily disheartened when faced with difficulties<br><input type="checkbox"/> I am often skeptical and pessimistic. |
| B  | M   |
| <input type="checkbox"/> I feel anxious without knowing why.<br><input type="checkbox"/> I have a secret fear that something bad will happen.<br><input type="checkbox"/> I wake up feeling anxious.                                       | <input type="checkbox"/> I feel hopeless, and can't see a way out.<br><input type="checkbox"/> I lack faith that things could get better in my life.<br><input type="checkbox"/> I feel sullen and depressed.         |
| C  | N   |
| <input type="checkbox"/> I get annoyed by the habits of others.<br><input type="checkbox"/> I focus on others mistakes.<br><input type="checkbox"/> I am critical and intolerant.  | <input type="checkbox"/> I am obsessed with my own troubles..<br><input type="checkbox"/> I dislike being alone and I like to talk.<br><input type="checkbox"/> I usually bring a conversation back to myself.        |
| D  | O   |
| <input type="checkbox"/> I often neglect my own needs to please others.<br><input type="checkbox"/> I find it difficult to say no.<br><input type="checkbox"/> I tend to be easily influenced.   | <input type="checkbox"/> I am suspicious of others.<br><input type="checkbox"/> I feel discontented and unhappy.<br><input type="checkbox"/> I am full of jealousy, mistrust, or hate                                 |
| E  | P   |
| <input type="checkbox"/> I constantly second guess myself.<br><input type="checkbox"/> I seek advice, ,mistrusting my own intuition.<br><input type="checkbox"/> I often change my mind out of confusion.                                  | <input type="checkbox"/> I'm often homesick for "the way it was."<br><input type="checkbox"/> I think more about the past than the present<br><input type="checkbox"/> I often think about what might have been.      |
| F  | Q   |
| <input type="checkbox"/> I'm afraid I might lose control of myself.<br><input type="checkbox"/> I have sudden fits of rage.<br><input type="checkbox"/> I feel like I'm going crazy.   | <input type="checkbox"/> I often feel too tired to face the day ahead.<br><input type="checkbox"/> I feel mentally exhausted.<br><input type="checkbox"/> I tend to put things off.                                   |
| G  | R   |

|  |  |
|--|--|
| <input type="checkbox"/> I make the same mistakes over and over<br><input type="checkbox"/> I don't learn from my experiences.<br><input type="checkbox"/> I keep repeating the same patterns.   | <input type="checkbox"/> I find it hard to wait for things.<br><input type="checkbox"/> I am impatient and irritable.<br><input type="checkbox"/> I prefer to work alone.  |
| H  | S  |
| <input type="checkbox"/> I need to be needed and want loved ones close<br><input type="checkbox"/> I feel unloved and unappreciated by my family.<br><input type="checkbox"/> I easily feel slighted and hurt.   | <input type="checkbox"/> I lack self-confidence.<br><input type="checkbox"/> I feel inferior and often become discouraged.<br><input type="checkbox"/> I never expect anything but failure.                            |
| I  | T  |
| <input type="checkbox"/> I often feel spacey and absent minded.<br><input type="checkbox"/> I find myself unable to concentrate for long.<br><input type="checkbox"/> I get drowsy and sleep more than necessary                                       | <input type="checkbox"/> I am afraid of things such as spiders, illness, etc.<br><input type="checkbox"/> I am shy, overly sensitive, and modest.<br><input type="checkbox"/> I get nervous and embarrassed.           |
| J  | ZE   |
| <input type="checkbox"/> I am overly concerned with cleanliness.<br><input type="checkbox"/> I feel unclean or physically unattractive.<br><input type="checkbox"/> I tend to obsess over little things.   | <input type="checkbox"/> I get high-strung and very intense.<br><input type="checkbox"/> I try to convince others of my way of thinking.<br><input type="checkbox"/> I am sensitive to injustice, almost fanatical.    |
| K  | ZF   |
| <input type="checkbox"/> I feel overwhelmed by my responsibilities.<br><input type="checkbox"/> I don't cope well under pressure.<br><input type="checkbox"/> I have temporarily lost my self-confidence   | <input type="checkbox"/> I tend to take charge of projects, situation, etc.<br><input type="checkbox"/> I consider myself a natural leader.<br><input type="checkbox"/> I am strong willed, ambitious and often bossy. |
| W  | ZG   |
| <input type="checkbox"/> I feel completely exhausted, physically and/or mentally.<br><input type="checkbox"/> I am totally drained of all energy with no reserves left.<br><input type="checkbox"/> I have just been through a long period of illness. |  |
| X  | U  |
| <input type="checkbox"/> I feel unworthy and inferior.<br><input type="checkbox"/> I often feel guilty.<br><input type="checkbox"/> I blame myself for everything that goes wrong.   | <input type="checkbox"/> I get depressed for no reason.<br><input type="checkbox"/> I feel my moods swinging back and forth.<br><input type="checkbox"/> I get gloomy feelings that come and go.                       |
|  | V  |



|  |   |
|--|---|
|  | <input type="checkbox"/> I tend to overwork and keep on in spite of exhaustion.<br><input type="checkbox"/> I have a strong sense of duty and never give up.<br><input type="checkbox"/> I neglect my own needs in order to complete a task.      |
| Y  | ZH  |
| <input type="checkbox"/> I am overly concerned and worried about my loved ones.<br><input type="checkbox"/> I am distressed and disturbed by other people's problems.<br><input type="checkbox"/> I worry that harm may come to those I love | <input type="checkbox"/> I am experiencing change in life - a move, new job, etc.<br><input type="checkbox"/> I get drained by people or situations.<br><input type="checkbox"/> I want to be free to follow my own ambitions.                    |
| Z  | ZI  |
| <input type="checkbox"/> I sometimes feel terror and panic.<br><input type="checkbox"/> I become helpless and frozen when afraid.<br><input type="checkbox"/> I suffer nightmares.   | <input type="checkbox"/> I give the impression that I am aloof.<br><input type="checkbox"/> I prefer to be alone when overwhelmed.<br><input type="checkbox"/> I often don't connect with people.   |
| ZA   | ZJ  |
| <input type="checkbox"/> I Set high standard for myself.<br><input type="checkbox"/> I am strict with my health, work, and spiritual discipline.<br><input type="checkbox"/> I am very self disciplined, always striving for perfection.     | <input type="checkbox"/> I am constantly think unwanted thoughts.<br><input type="checkbox"/> I relive unhappy events or arguments over and over again.<br><input type="checkbox"/> I am unable to sleep at times because I can't stop thinking.. |
| ZB   | ZK  |
| <input type="checkbox"/> I find it difficult to make decisions.<br><input type="checkbox"/> I often change my opinions.<br><input type="checkbox"/> I have intense mood swings.  | <input type="checkbox"/> I can't find my path in life.<br><input type="checkbox"/> I am drifting in life and lack direction.<br><input type="checkbox"/> I am ambitious but don't know what do.   |
| ZC   | ZM  |
| <input type="checkbox"/> I feel devastated due to a recent shock.<br><input type="checkbox"/> I am withdrawn due to traumatic events in my life.   | <input type="checkbox"/> I feel resentful and bitter.<br><input type="checkbox"/> I have difficulty forgiving and forgetting.<br><input type="checkbox"/> I think life is unfair and have a "Poor me attitude."                                   |
|  | ZL  |

|  |  |
|--|--|
| <input type="checkbox"/> I have n ever recovered from loss or fright.  | <input type="checkbox"/> I am apathetic and resigned to whatever happens.<br><input type="checkbox"/> I have the attitude, " it doesn't matter anyhow."<br><input type="checkbox"/> I feel no joy in life. |
| ZD   |  |
| <input type="checkbox"/> I feel extreme mental or emotional heartache.<br><input type="checkbox"/> I have reached the limits of my endurance.<br><input type="checkbox"/> I am in complete despair all hope is gone. |  |